Fleming Yachts 75 (2010-)

Price

Base Price

Prices, features, designs, and equipment are subject to change. Please see your local dealer or visit the builder's website for the latest information available on this boat model.

Key Features

- Solid laminate commensurate for hull size. Made in female mold
- Vinylester resin used for outer laminations below waterline
- Full-length stringers and athwartships frames laminated over foam
- Simulated planking grooves
- Gelcoated finish above waterline
- Epoxy barrier coat below waterline
- Integrally molded guard with s/s rub strip
- · Keel extends below running gear
- Keel space filled and sealed across top
- Solid S/S "Axe-blade" rudders with Aqualoy 22 Hi-strength stocks
- CE-approved S/S portlights

Specifications

Length Overall	75' 0" / 22.86 m
BEAM	21' 5" 6.53 m
Dry Weight	165,000 lbs. 74,842 kg
Tested Weight	
Draft	5' 3" 1.60 m
Draft Up	

Draft Down	
Air Draft	
Deadrise/Transom	N/A
Max Headroom	N/A
Bridge Clearance	N/A
Weight Capacity	
Person Capacity	
Fuel Capacity	3,000 gal. 11,356 L
Water Capacity	500 gal. 1,892 L
Length on Trailer	
Height on Trailer	
Trailer Weight	
Total Weight	
Aft Deck	
Salon Inside Width	
Salon Fore & Aft	
Salon Height	

Salon Volume	
Galley Volume	
Master SR Width	
Master SR fore & Aft	
Master SR Overhead	
Master SR Volume	
Eng. Room Volume	
Applemention Times & Con-	ditions

Acceleration Times & Conditions

Time to Plane	
0 to 20	
Ratio	
Props	
Load	
Climate	