# Cabo 41 (2020-)

# **Brief Summary**

The Cabo 41 is Cabo's latest version of their express-style offshore sportfishing line. It is designed for an owner/operator who desires an easily maintained, overtly proficient offshore fishing platform that is also comfortable for simply cruising with family and friends. Combined with Cabo's reputation for quality build and attention to detail, the new Cabo 41 should prove to be sought after by serious sportfishing enthusiasts.

#### **Price**

**Base Price** 


### **Key Features**

- Twin Cummins QSM11 715-horsepower diesel inboard engines
- Large uncluttered aft cockpit
- Transom door
- 48-gallon (182 L) live bait well built into the transom
- Aft facing mezzanine cockpit seating with freezer built in
- In-deck fishboxes
- Lower helm deck with L-shaped seating

#### **Test Results**

RPM	MPH	Knots	GPH	MPG	NMPG	STAT. MILE	NM	dBa
There are no test results for this boat.								

View the test results in metric units



# **Specifications**

Length Overall	42'10"   13.05 m
BEAM	15' 9"   4.80 m
Dry Weight	31,000 lbs.   14,061 kg
Tested Weight	35,850 lbs.   16,261 kg
Draft	3' 5"   1.04 m
Draft Up	

Draft Down			
Air Draft			
Deadrise/Transom	15-deg.		
Max Headroom	6' 3"   1.91 m		
Bridge Clearance			
Weight Capacity			
Person Capacity			
Fuel Capacity	550 gal.   2,082 L		
Water Capacity	95 gal.   360 L		
Length on Trailer			
Height on Trailer			
Trailer Weight			
Total Weight	35,850 lbs.   16,261 kg		
Aft Deck			
Salon Inside Width			
Salon Fore & Aft			
Salon Height			

Salon Volume	
Galley Volume	
Master SR Width	
Master SR fore & Aft	
Master SR Overhead	
Master SR Volume	
Eng. Room Volume	

# **Acceleration Times & Conditions**

Time to Plane	
0 to 20	
Ratio	
Props	
Load	4 persons, full fuel, full water, 50 lbs. of gear
Climate	78 deg., 91 humid; wind: 10-15 mph; seas: 3

# By Capt. Mark Kellum

rumpingound or type unknown

Although the new Cabo 41 is reminiscent of Cabo express models from the past. The all-new for 2020 Cabo model is a fully updated version.

rung ingound or type unknown

There is no mistaking Cabo's latest entry into the express sportfish market. The Cabo 41 has inherited the lineage of this venerable line.

#### **Mission**

The Cabo 41 is designed, engineered, and built to be an offshore sportfishing platform with all of the accoutrements sportfishing enthusiasts have come to expect from Cabo models in the past. Cabo also made the Cabo 41 easy to maintain by an owner/operator and provide a comfortable dry ride for those aboard. The lower deck's accommodation's sleeps four in air-conditioned comfort and the galley is well equipped for creating meals. The salon and head compartment provide further comfort for all aboard.

tower ot found or type unknown

The test Cabo 41 was equipped with the optional full tower with optional upper helm station.

# **Major Features**

- Dual Cummins Inboard Diesels. The test Cabo 41 was powered by the optional twin Cummins QSM11 715-horsepower diesel inboard engines.
- **Full Tower.** The full tower with outriggers and upper helm station is an option on the Cabo 41. Cabo also offers a half tower as an option. The helm deck hardtop is standard.
- Rod-Holders and Storage. Along the helm deck hardtop and ladder stanchions are rocket launcher style rod-holders and in the cap rail of the cockpit are strategically angled rod-holders, 16 rod-holders in all on the test Cabo 41.
- Cockpit. The cockpit on the Cabo 41 measures 12'4" (3.76 m) wide by 10'9" (3.28 m) from the transom to the mezzanine seating for fish fighting.
- Cockpit Transom Door. Built into the starboard side is a transom door that is 8" above the water at its foot that can be used to get larger fish onboard.
- Transom Live Bait Well. The 48-gallon (182 L) live baitwell on the Cabo 41 is built into the center of the transom.
- Master Stateroom. The forward master stateroom is private with a centerline pedestal mounted double berth.
- Full-Featured Galley. Under-counter refrigerator and freezer drawer unit, microwave oven, and ceramic cooktop.
- **Salon.** The salon has L-shaped seating the converts to a double berth.
- Head Compartment. The head compartment features flushing toilet, vanity, sink and walk-in separate shower.

เลง เดิน to tound or type unknown

The layout of the cockpit and helm deck makes it clear Cabo intended the Cabo 41 to be a fish fighting machine.

accommodations nknown

The lower deck accommodations make it clear that Cabo did not forget the comfort features that those aboard can appreciate.

#### **Performance**

mana more found or type unknown

With decent chop during the test, the Michael Peter's designed hull provided a smooth, dry ride underway. The Cabo 41 has a length overall of 42'10" (13.05 m), a beam of 15'9" (4.8 m), and a 3'5" (1.07 m) draft. With an empty weight 31,000 lbs. (14,061.36 kg), with 100% of fuel onboard, four people on board and 50 lbs. (22.68 kg) of gear, there was an estimated weight of 35,850 lbs. (16,261.69 kg).

**Top Speed.** The test boat was outfitted with optional twin Cummins QSM11 715-horsepower diesel engines running at 2500 RPM, the test boat reached a top speed of 39.1 mph (62.9 kph).

**Best Cruise.** At 2500 RPM and 29.2 mph (62.9 kph) the Cabo 41 achieved a 44.2 gph (167.1 lph) fuel burn that translated to 0.7 mpg (1.13 kpg) and a range of 327 statute miles (527 km) while still reserving 10-percent of the Cabo 41's 550-gallon (2,082 L) total fuel capacity.

data not found or type unknown

# Handling

The Cabo 41 demonstrated responsive overall handling. With a solid fiberglass hull, Divinycell foam core, and Michael Peter's hull design, the ride proved to be soft and dry. There was reasonable chop for the Cabo 41 testing conditions. Nonetheless, the Cabo 41 performed with minimal pounding. Banking through turns was uneventful, which is a good thing and those on the helm deck stayed dry from the cross spray thanks to the enclosed helm, also a good thing.

# **Boat Inspection**

negenot found or type unknown

The Cabo 41 was responsive to the helm feeling solid when turning hard.

### **Aft Cockpit**

Being a serious offshore sportfishing machine, the test Cabo 41 did not have the optional swim platform. Therefore, the natural way to board is by stepping onto the gunnel while holding on to the aft hardtop stanchion stepping down 2' (0.61 m) to the cockpit deck.

aftgeookpitd or type unknown

The business end of the Cabo 41 is the aft cockpit. The width of the aft cockpit is 12'4" (3.76 m) by 10'9" (3.28 m) deep.

seating found or type unknown

The aft facing mezzanine seating is forward of the cockpit. There is a 14" (3.56 cm) step up to the mezzanine seating.

seating found or type unknown

Inside the aft facing mezzanine seating on the test Cabo 41 is an optional freezer compartment for frozen bait and to keep the catch fresh. There is a 14" (35.56 cm) step leading to the aft facing mezzanine seat.

port side and or type unknown

Forward on the port side of the Cabo 41 cockpit is built-in tackle drawers with a prep area on top that measures 1'1" (0.33 m) fore to aft and 1'9" (0.53 m) wide.

Forward, below the gunwale to port of the aft facing mezzanine seating is the control switches for the live bait well and washdown pump, the port and starboard fish box macerators and the switches for raising and lowering the helm deck. Below is the raw water washdown bibcock and the optional freshwater washdown bibcock.

roadenoi dersor type unknown

There are two strategically angled rod holders on both the port and starboard gunwales that are designed to keep lines from tangling when trolling. The gunwale is 2' (0.61 m above the deck.

The Cabo 41's cockpit has fish kill boxes on both the port and starboard sides of the aft cockpit. Note the gas-assist struts that help lift and hold open the fish kill boxes.

aften at cockpit has fish kill boxes.

The center aft hatch leads to the bilge. At the top is the fuel cutoff valve manifold for the generator along with the port and starboard engines.

baitwell ound or type unknown

To port is the baitwell pick up pump, float switch and bilge pump center and the hydraulic steering rams to starboard.

On each port and starboard transom corner is a hawsepipe leading to a 12" (30.48) vertically mounted cleat.

Mounted in the center of the Cabo 41 transom is a 48-gallon (182 L) live bait well. The hatches are spring loaded to stay open and closed.

transompund or type unknown

Below in each corner of the transom are molded in scuppers to quickly drain water from the cockpit deck. transom doortype unknown

On the starboard side of the Cabo 41 is a transom door with a cap-rail that swings up and open and the door opens out and latches. The deck at the transom door is 8" above the waterline. There is a grabrail and steps built into the transom for reboarding.

rockert launcher unknown

There six rocket-launcher-style rod holders on the two ladder stanchions with six more mounted abaft the hardtop on the hardtop support rails.

#### **Helm Deck**

The helm deck on the Cabo 41 is designed for serious fishing and easy comfort. Entering the helm deck on the starboard side of the aft cockpit there is 2'2" (0.66 m) wide companionway with two 7.5" (19.05 cm) step risers. The helm deck hardtop is 6'10 off the helm deck.

penont found or type unknown

An overview of the helm shows the L-shaped bench seating to the port side immediately forward of the aft facing mezzanine seating and prep station on the starboard side.

Inspapeduben op unknown

The L-shaped bench seating on the Cabo 41 helm deck is a comfortable 1'9" (0.53 m) above the deck. The backrests come up 1'3" (0.38 m) above the seat which is 5'10" from the inboard side to the port side and runs 5'7" along the port side.

**Cushionis** and or type unknown

Under both of the cushions are solid hatches with finger openers that lead to storage below. This section contained two fire extinguishers.

storage ound or type unknown

Adjacent to the bench seating on the Cabo 41 helm deck is a storage cabinet with the main counter space measuring 4'5" (1.35 m) long by 1'9" wide.

refrigerator or type unknown

The aft section of the cabinet houses a drawer-style pull-out refrigerator. bompartmentype unknown

Forward the cabinet forms the base for the starboard side companion seat with two pull-out drawers for storage.

helmseatd or type unknown

The fully adjustable helm seat is mounted on a pedestal and can be height adjusted. The helm seat has armrests that fold up and a footrest that folds out.

adjusteduseatype unknown

With the seat adjusted all of the way forward there is 16.5" (41.91 cm) space between the chair and the helm console.

bopapamion seatingnown

The matching fully adjustable starboard side companion seating has armrests that fold up and a footrest that folds out. Both seats have custom ladder-back wood finish, and both are comfortable.

The wraparound windshield provides panoramic views and the optional three-sided enclosure with isinglass windows continues the all-round visibility when needed.

ne genot found or type unknown

The helm is mounted on the port side console. The throttle and shift engine controls are mounted on each side of the fixed mount stainless-steel steering wheel. Set into the port side of the dash is two VHF radios and the three 17" (43.18 cm) Garmin multifunction displays above system switches.

The compass is mounted forward on the top of the helm console directly in line with the steering wheel.

On the outboard side of the helm console is the windshield wiper controls, fusion stereo, the Cabo system information display, the combined Cummins engine displays, and port engine start stop.

Mounted in front of the steering wheel is the autopilot and the starboard engine start/stop. Mounted in the dash is the engine status and shift indicators.

helmstation type unknown

Mounted on each side of the helm station are VHF radio remotes related to the two VHF radios mounted in the dash.

Trim tab control switches are under the console below the steering wheel.

### **Upper Helm**

The test boat had the optional full tower and upper helm station. The upper helm gives the operator a great vantage when sight fishing and of the cockpit when fish fighting. There is 6'5" (1.96 m) of standing headroom under the upper stations hardtop.

ប្រាប្រាប់ ប្រាប់ ប្រាប់ unknown

Reaching the upper helm station is via port and starboard stanchion ladders built into the Cabo 41's full tower.

towerot found or type unknown

It was readily apparent that the weldments throughout the tower structure were achieved by skilled technicians.

upperostation type unknown

To reach the upper station the operator must crawl under the helm stations 5'10" (1.96 m) wide bolster seat.

The upper helm console has a Garmin multifunction display to port, a fix mount steering wheel in the center with a compass directly in front. The Cummins engine controls are to starboard and there are two electronics boxed below. There was no VHF radio at the upper helm station. However, one could be easily installed, or the operator could use a handheld VHF radio.

Shown is the upper helm station operator's view of the aft cockpit on the Cabo 41.

#### **Side Decks**

The Cabo 41's hardtop structure provides natural and safe handholds when traversing from the cockpit to the bow area.

page sideudeckpe unknown

Shown is the port side deck on the Cabo 41. It is an average of 13" (33.02 cm) wide with non-skid finish.

The diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the Cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the cabo 41. 

[Start of the diesel fuel fill is abaft the beam on the starboard side deck on the cabo 41. 

[Start of the diesel fuel fill is abaft the beam of the diesel fuel fill is abaft the cabo 41. 

[Start of the diesel fuel fill is abaft the diesel fuel f

Cabo mounted a 10" (17.78 cm) midship cleat on the side deck toe-rail.

Just ahead of the midship cleat is the city water fill.

#### **Bow Area**

The bow area is what should be expected on an express sportfishing boat. A single hatch that leads below to the master (only) stateroom.

mane satidund or type unknown

The deck is finished with non-skid and the bow rails start at 4" (10.16 cm) and steadily increase in height to 24" (60.96 cm).

wing lassund or type unknown

Mounted on the foredeck is the Maxwell windlass. The 25' (7.62 m) of chain leads to the rope rode. The bow pulpit has an anchor roller and there are two 10" (25.4 cm) cleats to each side of the pulpit. The foot controls for the windlass are to starboard.

# **Lower Deck Accommodations**

Transitioning below on the Cabo 41 is via a traditional companionway sliding door to starboard of the helm on the helm deck. There is a 3.5" (8.89 cm) step over at the entrance.

grap rail ound or type unknown

There is a 12" stainless-steel grabrail just inside the companionway door.

not found or type unknown

There is a 15" (38.1 cm) drop to the first stair top. Each of the three next steps have much easier risers of 10" (25.4 cm) each.

boompariionwayestairs

The companionway stairs on the Cabo 41 lift to reveal storage space.

#### Salon

Once below, the salon is on the starboard side with a plush salon L-shaped seating area. There is 6'8" (2.03) overhead from the salon deck to the salon overhead. There is a combination of recessed and overhead lighting throughout the salon area.

Inshapeduseatingunknown

Entering the salon, the L-shaped seating has recessed lighting to starboard with air conditioning vents above. Across from the seating is a storage cabinet with a 29" (73.66 cm) by 8.25" (20.96 cm) countertop

with fiddles to keep items in place.

seating found or type unknown

The L-shaped seating in the Cabo 41's salon converts to a double berth.

countertop or type unknown

Mounted over the storage cabinet countertop is a 32" (81.28 cm) flat panel television.

### **Galley**

On the port side of the Cabo 41's lower deck is the galley complete with microwave oven, two burner cooktop, refrigerator, and freezer as well as plenty of counter space and storage.

gabevot found or type unknown

The L-shaped galley has cabinets above the solid surface counterspace and storage below.

nagenat found or type unknown

The finely finished joinery is indicative of the quality Cabo builds into the Cabo 41.

microwave or type unknown

The microwave oven is mounted above the flush mounted two-burner cooktop.

sing not found or type unknown

Forward on the port side is the under-hung stainless-steel sink. Note the large amount of prep area on the countertops both port side and forward in the galley.

refrigerator or type unknown

The over/under refrigeration drawers can be set up to be refrigerators or freezers or both.

#### **Master Stateroom**

Entering the master stateroom on the Cabo 41 is through a door in the forward bulkhead that separates the stateroom from the galley and salon. This provides a modicum of privacy to the only stateroom.

dearnot found or type unknown

The door that provides privacy to the master stateroom on the Cabo 41 opens towards the galley.

\*\*The door that provides privacy to the master stateroom on the Cabo 41 opens towards the galley.

From the deck to the overhead is 6' (1.88 m). The centerline island double berth is 77" (195.58 cm) long by 60" (152.4 cm) wide.

drawer fstorage unknown

There is drawer storage under the foot of the berth and the berth lifts up to reveal additional storage. hanging lockere unknown

There is a cedar lined hanging locker to port in the Cabo 41's master stateroom. Note the wood shelf that runs the length of berth on both sides.

hangin outcome unknown

There is a second cedar lined hanging locker on the starboard side.

### **Mechanical Space**

The main mechanical space on the Cabo 41 is a good example of the effort that Cabo put into the overall design and construction of this model. Cockpit switches raise and lower the helm deck to form the entrance. When fully opened there is a 3'4" (1.02 m) egress.

switches und or type unknown

Operated with switches mounted in the cockpit, hydraulic lifts open the helm deck hatch.

mechanical spaceknown

Inside the mechanical space on the Cabo 41, there is an average of 6'3" (1.91 m) of headspace and the twin Cummins QSM11 715-horsepower diesels are 2'11" (0.89 m) apart.

but he and not type unknown

Mounted on the forward bulkhead is the battery charging system and galvanic protection system mounted over the 12-volt, electronics breaker box that Cabo builds in-house. The starboard side engine controls are mounted just ahead of the diesel.

budeneardnd or type unknown

To port mounted on the forward bulkhead is the fire suppression system with port side engine controls below.

meehamical spaceknown

In the center of the forward mechanical space bulkhead is the main battery switches. generator or type unknown

Centered on the aft bulkhead is the Westerbeke generator.

mingenot ennd or type unknown

The Cabo 41' Dometic air chiller system is mounted on the port side.

bupaminsidieselsunknown

Between the two Cummins diesels is the emergency crash pump system. If it becomes necessary, the raw water intake can be closed, and the crash pump intake can be opened making the diesel a large pump to discharge intrusive water overboard.

STACE CODOWNET type unknown

The Glendinning shore power cable feed is mounted on the starboard side above the cable reel.

# **Engine Options**

- Twin Volvo D11 625 MHP
- Twin Volvo D11 670 MHP
- Twin Volvo D11 725 MHP
- Twin Cummins QSM11 670 MHP
- Twin Cummins QSM11 715 MHP
- Joystick maneuvering system (compatible with any engine selection)

# **Options to Consider**

- Full tower with upper helm station
- Full helm deck enclosure
- Helm deck air conditioning
- Helm deck icemaker
- Swim platform
- Fresh water washdown
- Seakeeper 6 gyro stabilizer

# Warranty

Cabo and Hatteras Yacht are covered by the Hatteras Cabo Purchase Order Terms and Conditions. https://www.hatterasyachts.com/hatteras-cabo-yachts-llc.

#### **Price**

Price Range: TBD

### **Observations**

The Cabo 41 is a well-executed express offshore sportfishing yacht with luxury features. Owner operators will appreciate the attention to detail and easy maintenance of this well-built vessel. With exhilarating performance, predictable handling and fishing amenities, blue water sportfishing enthusiasts will recognize the potential of the Cabo 41 to deliver pelagic predators. In turn the spacious living areas, full galley and plush seating will appeal to those who want to cruise to new destinations or an evening at a dockside restaurant. The Cabo 41 is a fishing forward, family-friendly option for those moving up from a center console who want the creature comforts of a larger cabin boat and the strong fishability of Cabo's latest

model.