Sailfish 360 CC (2019-)

Brief Summary

The Sailfish 360 CC is the flagship of Sailfish's 15-boat lineup. Our test boat was powered by triple Yamaha 300 outboards. With Sailfish's Variable Degree Stepped (VDS) hull design and Yamaha's Digital Electronic Controls and Helm Master, operating the Sailfish 360 CC should give the operator a feeling of confidence in obtaining any offshore objective or simply entertaining family and friends. Her freeboard is high and her cockpit is deep as compared to many other boats in class.

Price

Base Price

Prices, features, designs, and equipment are subject to change. Please see your local dealer or visit the builder's website for the latest information available on this boat model.

Key Features

- Through the stem bow roller ground tackle system
- Port side tuna/dive door with under-deck re-boarding ladder
- Automated outboard flushing system
- Concealed freshwater electric marine head with overboard discharge
- Full-power helm seat

Test Results

RPM	МРН	Knots	GPH	MPG	NMPG	STAT. MILE	NM	dBa
600	4.4	3.8	2.2	2	1.8	737	640.6	60
1000	7.1	6.2	4.1	1.8	1.5	631	548.8	66
1500	9.2	8	6.4	1.4	1.3	518	450	70
2000	11.7	10.1	10.7	1.1	0.9	392	340.8	76

RPM	MPH	Knots	GPH	MPG	NMPG	STAT. MILE	NM	dBa
2500	18	15.7	15.5	1.2	1	418	363.5	80
3000	24.7	21.5	20	1.2	1.1	446	387.6	81
3500	32.4	28.2	27.4	1.2	1	426	370.8	83
4000	38	33	35.2	1.1	0.9	389	338	84
4500	44.2	38.4	49.9	0.9	0.8	319	277.2	80
5000	49.1	42.7	65.6	0.7	0.7	269	234.1	83
5500	54.1	47	79.1	0.7	0.6	246	213.9	81

View the test results in metric units sailfish 6360cc echant 18.jpg

Specifications

Length Overall	38' 6" / 11.73 m
BEAM	11' 2" 3.40 m
Dry Weight	12,700 lbs. 5,761 kg
Tested Weight	15,220 lbs. 6,904 kg
Draft	28'' 0.71 m
Draft Up	
Draft Down	

Air Draft	
Deadrise/Transom	24-deg.
Max Headroom	open
Bridge Clearance	9' 10'' 2.99 m (max)
Weight Capacity	
Person Capacity	
Fuel Capacity	400 gal. 1,514 kg
Water Capacity	N/A
Length on Trailer	
Height on Trailer	
Trailer Weight	
Total Weight	15,220 lbs. 6,904 kg
Aft Deck	
Salon Inside Width	
Salon Fore & Aft	
Salon Height	
Salon Volume	

Galley Volume	
Master SR Width	
Master SR fore & Aft	
Master SR Overhead	
Master SR Volume	
Eng. Room Volume	

Acceleration Times & Conditions

Time to Plane	3.1 sec.
0 to 20	
Ratio	N/A
Props	15 1/4x18 saltwater series II
Load	2 persons, 7/8 fuel, no water, 50 lbs. of gear
Climate	86 deg., 78 deg.; wind: 0-5 mph; seas: calm

Contents of Report

- Mission
- Major Features
- Performance
- Handling

- Transom
- Aft Cockpit
- Mechanical Space
- Helm
- Fiberglass T-top
- Forward Cockpit
- Foredeck
- Special Features
- Warranty
- Options to Consider
- Observations

Sailfish 360 CC running

The Sailfish 360 CC is the manufacturer's largest model combining fishing prowess of a center console with amenities that are conducive for entertaining and socializing. Sailfish 360 Ce unknown

The test boat came with triple Yamaha F300 4-stroke outboard engines.

Mission

The primary mission of the Sailfish 360 CC is to deliver a competent offshore fishing platform that delivers the crew to pelagic fishing grounds in almost any reasonable sea condition. But, her secondary design purpose is to provide comfortable, safe passage for the whole family on a day boating outing.

Sailfish 360 GC layout

The layout of the Sailfish 360 CC shows a wide transition from the aft cockpit to the forward cockpit and copious seating throughout.

Major Features

- **Mezzanine Seating.** Aft facing seating behind the leaning post provides a raised view of the fishing action as well as for socializing.
- Fold-Away Forward-Facing Transom Bench Seating. A 60" (1.52 m) wide bench seat folds out of the transom.
- **Two Pressurized Circulating Baitwells.** A 42-gallon (159 L) baitwell is located in the port quarter of the transom and a second, 32-gallon (121 L) baitwell is built in the base of the mezzanine seating.
- Three-Person Wide Helm Seating. The leaning post has seating for three with armrests and the driver's seat is electrically adjustable.

Sailfish 360 GG running

Sailfish has pulled out all of the stops to make this 36' (10.97 m) CC compelling.

- **Stand-Up Head.** Inside the console is a full head with freshwater electric marine head with overboard discharge, a stand-up shower, solid surface countertops, freshwater stainless-steel sink, convertible berth and an opening portlight
- **Dive/Tuna Door.** The port side swing in dive-door features a heavy-duty hinge and door latch, and a ladder hidden under a deck hatch.
- In-Deck Fishboxes. Twin 260-quart in-deck insulated fishboxes on the port and starboard sides of the aft cockpit.
- Forward-Seating. The port and starboard forward-seating has forward facing backrests and a power actuated table and filler cushions to convert the forward seating into a sun pad.
- **Through Stem Anchor System.** The anchor is deployed via a through stem bow roller and in the anchor locker is a windlass with remote control.
- Well Organized Mechanical Space. A large hatch in the cockpit deck opens to reveal easy access to many of the boats systems.
- Anti-fatigue pad at the helm
- Edison Black Ops steering wheel with power knob
- Built-in four bank battery charging system with Voltage Sensitive Relay (VSR) isolation

Sailfish 360 CO running

The Sailfish VDS hull with hard chines and running strakes directs the wash down and out as the sharp bow entry cuts through the water.

Performance

The Sailfish 360 CC has a LOA of 38'6" (11.73 m) fully rigged, a beam of 11'2" (3.40 m), and a draft of 28" (.71 m). With an empty weight of 12,700 lbs. (5,761 kg), 88-percent fuel, test power and two people

onboard, we had an estimated test weight of 15,220 lbs. (6,904 kg).

Top Speed. With triple 300-hp Yamaha F300 4-stroke outboards turning 15.25x18 saltwater props we reached a top speed of 54.1 mph, or 47 knots, at 5500 rpm.

Best Cruise. The best cruise came at 3000 rpm and 24.7 mph, or 21.5 knots. It was at that speed that the 20.0 gph fuel burn translated into 1.2 mpg and a range of 446 statute miles, 387 nautical miles, all while still holding back a 10-percent reserve of the boat's 400-gallon (1,514 L) total fuel capacity.

Trolling speed of 7.1 mph, or 6.2 knots, at 1000 rpm saw a fuel consumption of 4.1 gph.

Sailfishro60066 unknown

Handling

Sailfish 360 GG running

With three 300-horsepower Yamaha four-stroke outboards, the Sailfish 360 CC proved to be quick off the mark and get to the bite quickly.

With mild conditions on test day, there was no chance to determine how the Sailfish 360 CC handles seas or chop. However, crossing wakes showed how the bow flare, variable deep-V hull shape, hard chines and running strakes combine to create a smooth dry ride by dispersing displaced water out and away from the boat. She tracks well with dual running strakes on each side of the hull. The leaning into turns is not excessive and should keep all aboard comfortable.

Sailfish 360 CC outboard

Maneuvering in tight spaces was easy with the optional joystick steering.

The optional Optimus Joystick. Steering made close-in maneuvering easy with the triple Yamaha F300 outboards. The joystick control system allowed for fine control when docking or driving through the marina. It was also helpful when turning on the boat's axis, moving sideways or at any angle. The joystick was well calibrated.

Transom

The transom has the traditional splash-well with dual boarding-platforms on either side of the triple outboards. Along the forward edge of the outboard well is a walk over between the platforms. Along the top edge of the transom bulwark are five rod-holders.

Sailfish 360 60 transom

Shown is the transom with the triple Yamaha F300s and the flanking boarding-platforms. **Available Power.** For power, the test boat was equipped with triple 300-horsepower Yamaha F300 outboards with optional Optimus Joystick Steering. The Sailfish 360 CC is available to be configured with twin Yamaha F425 outboards, triple Yamaha F350 outboards, triple Mercury 300 Verado outboards, or triple Mercury 350 Verado outboards. The Sailfish 360 CC has a maximum power rating of 1050-horsepower.

Sailfish 360 GC platform

The 31" (78.7 cm) deep boarding-platform has a concealed four-step extension re-boarding ladder on the starboard platform. Sailfish 360 GG outboards

There is a transom catwalk for operations or use as a crossover between platforms. Sailfish 360 GG shower

By the walk through is a shower wand in the coaming, and below it is a stereo remote. At the bottom is a freshwater fill, then a nozzle for the engine flush and a button above that to turn it on. The step up is 3" (7 cm).

Sailfish 360 60 walk through

Moving forward to the aft cockpit there is a 16" (40.6 cm) wide starboard side walkthrough. **Transom Walkthrough.** Moving forward through the transom walkthrough there is an 11" (27.9 cm) step down to enter the aft cockpit.

Sailfish 360 GG baitwell

Built into the port quarter of the transom is a 42-gallon (159 L) baitwell which is aerated and features blue gelcoat and rounded corners.

Aft Cockpit

The aft cockpit is versatile and has clever features for both fishing and entertaining. Rod holders and coaming bolsters are some of the fishing focused features.

More family-friendly is a forward-facing 60" (152 cm) aft bench seat that folds out of the transom. Opposite it is the aft-facing mezzanine seating. Add an optional inboard facing seat that folds out of the starboard side bulwark that creates a highly social, U-shaped seating arrangement in the aft-cockpit.

Sailfish 360 GC swing in door

A functional swing-in dive/utility door is to port. Because it is a swing-in door it can be used dockside for boarding.

Dive Door. Sailfish has provided a swing-in dive door which measures 21" (53.3 cm) at the narrowest point and 24" (61 cm) at the widest outside edge.

Sailfisht@60066 unknown

The Sailfish 360 CC dive door has a heavy-duty hinge and door latch. Note that the grab handle is folded and mounted forward of the dive door.

A four-step re-boarding ladder is concealed under a hatch in the cockpit deck, and it folds up, over and down. It is right where it is needed, and not stowed in the bow of the boat as we see on some boats in class. Sailfish 360 Co rodown

Gunwale mounted rod holders and coaming bolsters are some of the fishing focused features. Sailfish 360 Co unknown

There are large scupper drains in both aft corners of the cockpit for washdowns or water intrusion. Sailfish 360 GG seating

Mezzanine seating on the back of the leaning post assembly is comfortable place to watch the troll. **Mezzanine Seating.** The aft-facing bench seating serves both the fishing and entertaining missions of the Sailfish 360 CC. It provides a place for observers to watch the baits. There is also a livewell underneath. When entertaining, the mezzanine seating helps make the aft cockpit a comfortable gathering place.

Sailfish 6360 Ge unknown

The mezzanine seating lifts up with gas-assisted struts (green arrow) to reveal an 80-quart (76 L) carry-on cooler (yellow arrow) and a second 32-gallon (121 L) baitwell (red arrow). Sailfish 360 GG fishing

A very fishing focused feature is behind the mezzanine seating center backrest. The depth sounder/fish finder that can be seen from the cockpit. Note the drink-holders and flip-down armrests. Sailfish:360-CG triopwn

There is also access to storage behind the backrests and rocket launcher style rod holders mounted on the T-top supports. Sailfish 360 GG family friendly

Another family-friendly feature is a forward-facing aft bench seat that folds out of the transom. Sailfish 360 GG in board

Installed on the test boat is an optional inboard facing seat (red arrow) that folds out of the starboard side bulwark, creating a highly social, U-shaped seating arrangement in the aft-cockpit.

Sailfish/360-6/C cockpit

In the cockpit are 9" (22.86 cm) coaming bolsters that start at 22" (55.9 cm) above the deck and reach 31" (78.7 cm) at the gunwale. Sailfish 360 GG fishing features

Additional fishing features in the cockpit include a pair of 260-quart (189.27 L) in-deck fishboxes to both sides of the mezzanine seating. Sailfish 360 CG rod storage

Sailfish has provided under gunwale rod storage, three on each side, with built-in stainless steel toe-rails. **Aft Cockpit Freeboard.** The freeboard at the aft cockpit gunwale is 3'4" (1.0 m) above the waterline.

Mechanical Space

The mechanical space below the aft cockpit deck reflects Sailfish's experience and commitment to owner satisfaction. The systems are well arranged and easy to access.

Sailfish 360 GC mechanical space

The mechanical space below the aft-cockpit deck has two-livewell pumps in a sea chest to keep them primed, a single sump pump and the steering pumps. Sailfish 360 Ge unknown

There are the fresh-water (red arrow) and raw-water pumps (yellow arrow) and a pump for the automatic outboard flushing system (purple arrow). Sailfish 360 GG hydraulic pumps

Shown is one of two hydraulic pumps for the Yamaha Optimus Joystick Steering.

There are also two vacuum pumps (yellow arrows) for clearing the in-deck fishboxes.

The three-water separators and primers for the outboards are mounted port side of the mechanical space. Sailfish 360 Ge hatch

The hatch is firmly held in place with gas-assist struts.

Helm

The helm is designed to be operated from the center of the three helm seats. The test boat had three 12" (.30 m) multifunction displays creating a glass-helm. The center mounted steering wheel has an adjustable tilt base.

Sailfishr360060 helm

Port side of the helm is a VHF radio (red arrow), system switches (yellow arrow), joystick (purple arrow), spot light controller (black arrow), large and small drink holders, and a windlass switch (blue arrow). Sailfish 360 GG engine control

On the starboard side of the helm there is the engine controller binnacle (blue arrow), more system switches (yellow arrow), trim tab controls with indicators (green arrow, large and small drink holders and stereo controller (red arrow). Sailfish@60@eunknown

The test captain really liked the way the compass aligns with the steering wheel and operators' line of sight. Sailfish 360-00 helm/dash

The helm dash is designed for multiple displays. In this case, there are three 12" (.30 m) Garmin 7612 multifunction displays. Note the air conditioner vents below the monitors. Sailfish 360 Co steering wheel

The Edson Black Ops steering wheel comes with a power knob and has an adjustable tilt base. Sailfish 360-00 power vent

A power vent in the curved windshield allows fresh air to circulate at the helm. On this Sailfish model, the windshield wiper has an integrated windshield washer. Sailfish 360 GG helm/dash

Above the dash, in the overhead, there are light and vent switches along with the Yamaha engine monitor and port and starboard electronic boxes. Sailfish 360 Go camera

A cockpit camera gives the operator an eyes-forward view of the cockpit fishing action or to keep an eye on the kids while underway.

Helm Seating

The leaning post has bolsters that accommodate standup or seated positions for three people in raised positions in comfort. The seats are ergonomically correct with multi-density foam and cut-outs in the backrests to keep riders cool.

The captain's center seat is electrically adjustable. There is fatigue-reducing padding in the deck and a drop-down platform that raises the operator's perspective when standing.

Sailfish 360 GO helm seats

The three-wide helm seats have bolsters and armrests that fold up out of the way. The center, operator's seat is electrically adjustable. Sailfish 360 GG helm station

There is a 4" (10.2 cm) step up to the helm station. After stepping up to the helm, there is 3" (7.6 cm) of padding built into the deck, with 1" (2.54 cm) of padding on top of that, a must for long-hauls to the bite. Sailfish 360 CG platform

There is a 5.5" (13.97 cm) platform that folds down from the front of the leaning post that gives the operator a higher vantage point. Sailfish 360 CC footwest

A footrest built into the console allows the operator to change positions during long hauls to the bite. Sailfish 360 GG leaning post

On the port side of the leaning post assembly is a switch panel with baitwells, washdown and refrigerator switches. Sailfish 360-06 leaning post

On the starboard side of the leaning post of the Sailfish 360 CC is a built-in refrigerator. Sailfish 360 CC gumwale

Under the starboard side gunwale around midship is the raw water washdown next to the shore power connection.

Fiberglass T-top

The fiberglass T-top comes with a vented sunroof and an articulating rear shade is standard equipment. The T-top supports are integrated into the console, providing unobstructed side decks. This is a mark of premium construction.

Sailfish 360 66 supports

A 3" (7.62 cm) and 2" (5.08 cm) tube makes up the supports and grabrails leading to the fiberglass hard Ttop. The supports are integrated into the console leaving 21" (53.3 cm) of unobstructed side decks to move about.

Sailfishr3600CC lightsn

Sailfish has equipped the 360 CC with 360-degrees of spreader lights, integrated speakers, and an overhead hatch and note the camera facing aft. Sailfish 360 CG outriggers

Outriggers are mounted on the T-top which can be deployed from the underside of the T-top.

Sailfishr@60066etutopwn

Sailfish installed an articulating rear shade system into the 360 CC T-top on our test boat. Sailfish 360 CO shade

Other rear shade systems take up most of the interior space of the hardtop, not allowing for a vented sun roof or hatch that the Sailfish 360 CC allows. This is an important detail in one of the best T-top overheads we have seen. Sailfish 360 CO shade

The shade comes with a support rod system that allows for full speed running with the sun shade deployed. Sailfish: 360-06 unknown

Moving forward, under the gunwale is storage with keeper mesh netting. Above the coaming pads is a low-profile grabrail. Note the rod racks and toe support aft.

Head Compartment

There is a lot going on inside the console compartment: a standup shower, a freshwater electric marine head, vanity with a sink and storage, even a convertible berth as well as access to battery panels and helm electronics.

Sailfishr3600 Co unknown

Access to the console interior is from the one-piece port side door. Sailfish 360 Co unknown

The console interior's aft most bulkhead has the access door to the battery switches, fuses and electronics NEMA2k bus. Sailfish 360 GG battery switch

The battery switch panel swings out to provide direct access to the helm electronics. Sailfish 360 Ge panel

Directly above is another panel that provides access to the back side of the multi-function displays. Sailfish 360-00 house batteries

Access to the house and outboard starting batteries is below the battery switch access panel. Sailfish 360-06 shore power

The shorepower panel and access to the windshield washer fluid container are situated above the starboard side portlight. Sailfish 360 Co sinkwo

The sink faucet converts to a shower, making the compartment a true wet-head.

Sailfish 360 GC port-light

Above the sink is an opening portlight that introduces natural light and ventilation to the console's interior space.

Sailfishr3600CC toiletvn

At the entry to the console is the head which is located below the teak shower seat. Sailfish@60-00 unknown

The head activation switch is mounted on the side of the sink vanity within easy reach. Note the teak and holly sole. Sailfish 360-06 mattress

An insert mattress converts the head to a berth 6'8" (2 m) long and 4'5" (1.3 m) at the widest, with 16" (40.6 cm) clearance under the console.

There are rod holders along the starboard side bulwark above the sink. Sailfish 360-00 head storage

There is a solid surface countertop with storage drawers below. This is a clever use of space and double function for the teak seat over the toilet.

Forward Cockpit

Although having many fishing features, the forward cockpit is designed to support Sailfish's social goals. The lounge seating built into the forward console and comfort amenities make the forward cockpit a natural gathering place for family and friends.

Sailfishree000000 unknown

Moving to the forward cockpit in front of the console there is built-in lounge seating with armrest, cup holders, and two-rod holders on each side. Sailfish 360 GG storage

The deep storage below measures 23" (58.4 cm) deep, 35" (88.9 cm) wide at the aft most bulkhead and 37" (93.98 cm) front to back. Sailfish 360 GG bolsters

The 8" (20.3cm) coaming bolsters forward measure 39" (99.1 cm) to the top above the deck. The coaming is another 3" (7 cm) higher, making the depth of the cockpit here 42" (106 cm). Sailfish 360 Ge unknown

The forward seating has exceptionally high and complete backrests, unlike most boats in class. The electrically activated table will be popular for picnics and cocktails when entertaining. Sailfish 360 GG bow table

With the table lowered, the forward seating can convert to a sun pad by adding the standard upholstered inserts.

Sailfish 360 CO bolsters

The bolsters just aft of the forward seating convert to forward facing backrests, creating forward-facing lounge seating. Sailfish 360 GG drink holders

Three drink holders, incidental storage and a 12-volt outlet are located on the port and starboard bulwarks. Sailfish 360-00 stereo remote

There is a stereo remote on the port side bulwark. Sailfish 360 CC forward seating

The forward seating converts to a large casting platform. The center table raises and lowers automatically with a switch on the starboard side. Sailfish 360 GG bench seats

The port and starboard forward bench seats have 80-quart (75.5 L) storage boxes built-in that are insulated and drain overboard. They can be used as fishboxes, beverage coolers, or normal storage. Sailfish 360 Co storage

The storage boxes have Resin Transfer Molded (RTM) lids for a gelcoat finish on both sides and come with sealing gaskets and gas-assist struts.

Forward Cockpit Freeboard. There is 4'7" (1.4 m) of freeboard outside of the forward cockpit.

Foredeck

The foredeck of the Sailfish 360 CC is well thought out and reflects Sailfish's experience developing center console boats.

Sailfish 360 CC cleats

There are pop-up cleats and rod holders on both sides of the foredeck. The mounting hardware for the ground tackle locker hatch is recessed. Sailfish 360 GG ground tackle

The ground tackle hatch is equipped with gas-assist struts. The windlass is mounted in the center leading to a through the stem anchor roller system. There is access to the rode on either side of the windlass, which is

controlled both here and at the helm.

Special Features

Some special features should be mentioned here.

Sailfish 360 CC cup holders

The Sailfish 360 CC has twenty cup holders including six that will accommodate today's larger insulated cups.

Sailfish 360 CC fenders

Strategically placed fender holders located two midship and two aft, can be inserted into base-holders when needed. Sailfish 360-00 clipown

The Sailfish 360 CC comes with a special fold-out clip on the leaning post that can act as a hanger for a towel or even a bucket. Sailfish 360 CC remote

Mounted on the starboard side of the transom is a stereo remote control and the automatic outboard flushing system controls.

Warranty

Sailfish offers a 10-year hull warranty for structural integrity. Systems and components come with manufacturer warranties. Contact Sailfish for details.

Options to Consider

- Bow shade
- Bow thruster
- Console and leaning post covers
- Dash misting system
- Grand Slam 380 outriggers with 15' poles
- Joystick steering
- Powder coating (Black)
- Rod holders, extra pair (2)
- SeaKeeper stabilization
- Two-tone Hardtop
- Air conditioning

Observations

With the introduction of this 360 CC, Sailfish has definitely entered the ranks of the premium builders of center console boats. Virtually everything on this boat has been done right, and it is hard to find fault. Of particular note is the seating in the aft cockpit for entertaining – and the mezzanine seating for trolling, the powered helm seat, the well-designed T-top, the functional wet head with a bed for naps or an overnight in a pinch.

We think the Sailfish 360 CC fulfills its stated mission to be "fishing focused" while remaining "familyfriendly." Options can be added to make her even more family-friendly such as awnings, or more of a fishing machine such as lockable rod storage in the head compartment, downriggers, and outriggers. But in both cases, not much needs to be added.