

Tiara 39 Open (2020-)

Price

Base Price

Specifications

Length Overall	41' 11" 12.77 m
BEAM	15' 0" 4.57 m
Dry Weight	24,500 lbs. 11,113 kg
Tested Weight	
Draft	3' 6" 1.06 m
Draft Up	
Draft Down	
Air Draft	
Deadrise/Transom	18-degrees
Max Headroom	
Bridge Clearance	
Weight Capacity	
Person Capacity	
Fuel Capacity	535 gal. 2,025.20 L

Water Capacity	120 gal. 454.25 L
Length on Trailer	
Height on Trailer	
Trailer Weight	
Total Weight	
Aft Deck	
Salon Inside Width	
Salon Fore & Aft	
Salon Height	
Salon Volume	
Galley Volume	
Master SR Width	
Master SR fore & Aft	
Master SR Overhead	
Master SR Volume	
Eng. Room Volume	

Acceleration Times & Conditions

Time to Plane	
0 to 20	
Ratio	
Props	
Load	
Climate	

Builder Commentary

ESCAPE FOR THE DAY OR EVEN A WEEKEND AND EXPERIENCE THE SPACIOUS LUXURY THAT THE 39 TIARA OFFERS. AMPLE SEATING, DURABLE FABRICS AND AVAILABLE STATE-OF-THE-ART ELECTRONICS ARE JUST SOME OF THE FEATURES ONBOARD. OPTION YOURS FOR CRUISING OR FISHING, AND ENJOY ONE CAREFREE DAY ON THE WATER AFTER ANOTHER.

THE 39 TIARA IS A SERIOUS PERFORMER. SOPHISTICATED NEW DESIGNS DELIVERING THE STYLE THAT EVERY TIARA IS BUILT ON; AN UNMATCHED HERITAGE OF AMERICAN MADE QUALITY, STRENGTH AND SEAKEEPING DESIGNED TO BRING YOU SAFELY HOME AGAIN.

Layout

layout not found or type unknown

Image not found or type unknown

Interior Galley

Image not found or type unknown

aft deck

Image not found or type unknown



All Rights Reserved © 2024 BoatTEST.com, LLC

Image not found or type unknown

Image not found or type unknown



All Rights Reserved © 2024 BoatTEST.com, LLC

Image not found or type unknown





Boat Details

HULL, DECK AND UPPER COCKPIT

- Tiara Yachts' transferable limited warranty: five years on hull and deck; two years on accessories
- Fresh white gelcoat hull and deck
- Axalta® Carbon bootline
- Hull constructed with a gelcoat outer layer, balsa Cored Hullsides, and Hand-Laid Premium Resin Fiberglass
- Deck constructed with a gelcoat outer layer, balsa coring, and hand-laid fiberglass using premium resin
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to the hull
- Two coats of anti-fouling bottom paint
- Gelcoated bilge
- Bronze seacocks on all underwater thruhull fittings
- Molded-in hullside ventilation with filters
- Lenco® electric 12V hydraulic recessed trim tabs with zincs
- Two Lewmar® deck hatches with adjusters, built-in Ocean Air® screens and privacy covers
- One flush acrylic deck skylight
- Molded-in fiberglass bow pulpit with S.S. roller
- One-piece welded, 316L S.S. 1" bow rail with pulpit, staff and Tiara burgee
- Flush forward anchor rode locker with overboard drain
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm. Includes one 10" S.S. foredeck cleat, 40' chain rode, 200' rope rode and Delta® 35 lb. anchor

- White rubrail with 316L S.S. cap
- Six S.S. cleats for lines - three 10" cleats and four 12" cleats
- Hardtop with side enclosures and Lewmar® skylight with opening hatch.
- Tiara custom composite windshield frame with 1/4" tempered safety glass, handrails on side wings, and a windshield wiper system with two washer/wipers
- Tiara hinged helm console with full flush mount electronics capability, drink holder, and 18" S.S. destroyer tilt wheel
- Manually adjustable helm seat.
- Wet bar with storage aft of helm seat
- Prep center with storage locker aft of wet bar
- Centerline entry to salon with acrylic sliding companionway door, lock, screen door, and privacy cover
- Fiberglass companion door shroud with molded-in glove box and drink holders
- Port curved companion lounge
- Port aft-facing seat with storage
- Fusion® multi-zone stereo system with:
 - Cockpit remote,
 - JL Audio® digital amplifier,
 - Two JL Audio® 6.5" interior speakers
 - Two JL Audio® 6.5" exterior speakers
 - Two JL Audio® 7.7" exterior component speakers
 - One JL Audio® 8" subwoofer
- TV jack/outlet

- 120V GFI outlet
- 12V accessory outlet
- Drop-down engine room access hatch from the upper cockpit

LOWER COCKPIT

- Molded-in steps to deck walkways, port and starboard
- Fiberglass covering boards
- Cockpit coaming bolsters
- Two chrome bronze corner hawse pipes
- Cockpit LED courtesy lighting with remote control
- Cockpit shower, hot and cold water
- Raw water washdown outlet with 25 ft. coiled yellow hose
- Self-draining cockpit with centerline scupper drain
- Two insulated flush floor storage boxes with gas assisted split hatch
- Aft lazarette hatch
- Molded-in transom door and gate

INTERIOR GROUP

- Mold and mildew resistant vinyl hull and headliner treatment
- Teak and Chilewich® interiors
- Solid teak floor
- 120V outlets throughout
- 12V LED lighting

SALON

- Teak companionway entry steps with hinged storage compartment below
- L-shaped lounge/dinette seating with storage below, and high-gloss teak table; seats 5-6 with ottoman (Converts to double lower berth and single upper pullman berth)
- Three Accent pillows
- 28" LED TV with HDMI port
- Soundbar with wireless subwoofer
- BluRay player
- Upper hullside storage lockers
- Marine Air Systems® 16,000 BTU air conditioner with reverse cycle heat, controls in aft starboard bulkhead 39

OPEN STANDARD EQUIPMENT GALLEY

- Corian® countertop
- Stainless steel undermount sink with Corian® cover and hot/cold water faucet
- Under counter storage and aft galley pantry
- Upper dish lockers
- Two utensil drawers
- Two-burner electric cooktop with Corian® cover and safety shut-off switch
- Microwave oven
- Vitrefrigo® drawer style refrigerator and freezer (optional ice maker is available)
- Exhaust fan

MASTER STATEROOM

- Privacy curtain separating master stateroom from salon

- Manually actuated queen pedestal berth with innerspring mattress, mattress pad, luxury linen sheet set, coverlet, pillow shams, and accent pillows
- Storage compartment under berth
- Cedar-backed hanging locker
- Upper hullside storage cabinets
- Two LED reading lights

HEAD

- Full frame door with entry from the salon
- Full fiberglass head with glass bi-fold shower door and stall shower with sump pump/drain
- Corian® vanity countertop with S.S. sink
- Mirrored vanity above sink
- Lower vanity storage
- Vacuflush® toilet
- Exhaust fan
- Air conditioning vent

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V DC and 120V AC electrical system with the master distribution panel located on the aft dinette bulkhead
- One 240V 50 amp 65' dockside power cord and adapter for 30 amp service
- Cable TV inlet/outlets with 65' dockside power cord
- TV and AM/FM antennas
- Onan® 9.0kW generator with sound shield

- One battery charger, 60 amp
- 12V Two bank battery system two engine batteries, and three house batteries
- Battery parallel system
- Electrical bonding system
- Reverse polarity indicator All engine options include the following:
- Single lever electronic controls
- Zincs - transom, trim tabs and shafts
- Hydraulic steering system with powered steering assist
- Bronze axe head rudders and struts
- Aquamet® S.S. prop shafts, 2 1/4"
- Water cooled shaft logs with PSS® dripless shaft seal
- Two Nibral® propellers
- Garmin® 7" single display for monitoring engine systems
- Ritchie® SuperSport SS2000 compass
- High output alternators
- Electric engine hatch actuators
- Engine room accoustical insulation
- 12V LED engine room lights
- Racor® fuel filters/water separators for engines and generator
- Raw water intake strainers for engines and generator
- Vibration isolating mounts for engines and generator
- Plate mounted, thru-bolted engine system

- Three automatic/manual bilge pumps with monitors at the helm, 2000 GPH each: One forward, one mid, and one aft
- Two aluminum fuel tanks, total capacity 535 gallons (forward tank 250 gallons and aft tank 283 gallons) with in-line fuel shut-off valves on top of tanks
- Dockside water inlet
- Fresh water tank, 120 gallons
- Fresh water pressure system with Shurflo® variable speed pump, five GPM
- One water heater with exchanger, 11 gallons
- Holding tank, 38 gallons
- Kahlenberg® chrome dual trumpet air horn
- HFC 227 agent automatic/ manual fire extinguisher system in engine room
- Three hand-held fire extinguishers
- Two carbon monoxide detectors
- Two smoke detectors
- Six 5/8" x 30' black dock lines
- Eight Tiara life vests (domestic boats only)
- USCG approved electronic flare
- USCG/international LED navigation lighting
- NMMA certified using ABYC standards
- International certification options available (European CE and others)