

Beneteau Monte Carlo 52 (2020-)

Brief Summary

The Monte Carlo 52 by Beneteau signals the next generation of the MC lineup and features a lot of improvements based on customer feedback, including more interior space, more natural light and certainly more comfort. She includes a lot of luxury and innovation, and her modern profile speaks of the quality found within.

Price

Base Price\$1075700.00

Prices, features, designs, and equipment are subject to change. Please see your local dealer or visit the builder's website for the latest information available on this boat model.

Key Features

- Steering station with adjustable seat and wheel
- Salon seating for 8 people
- Fully-fitted aft galley
- Aft sun lounge with lifting backrest


Test Results

RPM	MPH	Knots	GPH	MPG	NMPG	STAT. MILE	NM	dBa
600	3.5	3	0.7	4.9	4.3	1526	1326.9	65
1000	6.6	5.7	2.1	3.2	2.8	989	860.2	65
1250	7.9	6.8	3.3	2.4	2.1	748	650.3	64
1500	9.3	8.1	5	1.9	1.6	582	505.8	64
1750	10.3	8.9	7.6	1.3	1.2	418	363.1	66

RPM	MPH	Knots	GPH	MPG	NMPG	STAT. MILE	NM	dBa
2000	11.4	9.9	10.9	1	0.9	324	281.6	68
2200	12.6	11	15	0.8	0.7	260	226.1	70
2400	13.9	12	18.5	0.8	0.7	232	202.1	72
2600	15.7	13.6	22.1	0.7	0.6	219	190.6	71
2800	18.9	16.4	24.4	0.8	0.7	240	209	73
3000	21.1	18.3	30.8	0.7	0.6	212	184	76
3200	23.6	20.5	35.4	0.7	0.6	206	177.4	75
3400	26	22.6	40.6	0.6	0.6	199	172.6	76
3600	29.9	26	48.5	0.6	0.5	191	165.9	76

[View the test results in metric units](#)

Image not found or type unknown



Specifications

Length Overall	53' 7" 16.33 m
BEAM	15' 2" 4.62 m
Dry Weight	33,034 lbs. 14,984 kg
Tested Weight	36,035 lbs. 16,345 kg
Draft	3' 11" 1.20 m
Draft Up	

Draft Down	
Air Draft	
Deadrise/Transom	
Max Headroom	
Bridge Clearance	23' 8" 7.21 m
Weight Capacity	
Person Capacity	
Fuel Capacity	344 gal. 1,300 L
Water Capacity	106 gal. 400 L
Length on Trailer	
Height on Trailer	
Trailer Weight	
Total Weight	36,035 lbs. 16,345 kg
Aft Deck	
Salon Inside Width	
Salon Fore & Aft	
Salon Height	

Salon Volume	
Galley Volume	
Master SR Width	
Master SR fore & Aft	
Master SR Overhead	
Master SR Volume	
Eng. Room Volume	

Acceleration Times & Conditions

Time to Plane	6.7 sec.
0 to 20	
Ratio	
Props	
Load	3 persons, 3/4 fuel, full water, 50 lbs. of gear
Climate	72 deg., 45 humid; wind: 10-15 mph; seas: 1-2

By Capt. Steve Larivee

Beneteau Monte Carlo 52

The all new MC52 is the first of a new generation of Monte Carlo yachts, and it's a change for the better.

Features Inspection

Cockpit

The cockpit is the first of several social zones on the MC52. It features L-shaped seating to the stern with an optional seat (\$3,860) ahead and to port. All decking is teak, and the entire aft deck is protected by the extended flying bridge deck overhead, 6'8" (2.03 m) off the deck. An optional extendable awning (\$6,950) is electrically actuated for adding still more protection. Storage is ahead and to starboard, and another storage access is under the aft sofa that leads to the cavernous trunk storage. Another access to this storage compartment is at the transom. An optional teak pedestal table (\$10,380) can be added, and it converts to a sun pad. Of course, a free-standing table and deck chairs can easily be accommodated.

Beneteau Monte Carlo 52

The cockpit is a welcome gathering area under the protection of the extended overhead. A pedestal table can also be added to enhance the area's functionality.

Beneteau Monte Carlo 52

Storage is under the sofa, and this extends all the way across the transom. Additional access is at the transom. If a captain's cabin is chosen, this will serve as the entrance.

Swim Platform

The swim platform is accessed from stairs to the starboard side of the cockpit. Completely covered in teak, it extends 58" (147.32 cm) from the transom. Our test boat had the optional hydraulically-actuated version (\$33,410) to serve as a private beach. Additionally, it can launch a RIB (Williams MiniJet 280 - \$38,760) or PWC as it has a lift capacity of 770 lbs. (349.27 kg). At the stairs to starboard, there are two 50-amp shore power connections with the cords managed by a Glendinning cable master retrieval system.

Beneteau Monte Carlo 52

Beneteau Monte Carlo 52

A concealed re-boarding ladder is to port and includes high rails easing entry and egress.

At the transom, a cover lifts to expose an electric grill and sink. The cover is held open with gas support struts to both sides. Beverage holders are alongside the sink to the left. Below, is a large hatch over the trunk storage. This area can also be accessed from the cockpit seating, but this access point is clearly more advantageous and provides more accessibility.

Because this area is so roomy, it can also be optioned out as a crew cabin (\$8,710). That being the case, the access from the cockpit seating will serve as the only entrance.

Beneteau Monte Carlo 52

With the swim platform being one of the most popular places onboard, it makes sense to have a sink and electric grill.

Beneteau Monte Carlo 52

Trunk storage is an important aspect on any boat, but on the MC52, it is taken to a whole new level.

Flying Bridge

The flying bridge is accessed from a spiral staircase at the aft deck. This is actually a clever arrangement that keeps the steps at a comfortable angle while taking up less space in the aft deck.

Beneteau Monte Carlo 52

The flying bridge takes up nearly 2/3 of the boat's overall length. It includes an outdoor galley and comfortable seating for eight.

Beneteau Monte Carlo 52

One of the many clever features of the MC52 is the inclusion of a spiral staircase to the flying bridge.

The entertainment continues in the flying bridge with a forward L-shaped seat to starboard providing the same vantage point as the captain to port. Just abaft is comfortable lounging for eight, starting in a U-shaped sofa wrapping around a solid teak expandable table on a pair of fixed pedestals. With the table leaves folded, padded grab handles and beverage holders are exposed. With the table opened up, these serve as supports for the leaves. Across to port is a full-length sofa that extends back to the aft deck.

Overhead, choose from a graphite Bimini (\$9,870) or a hardtop (\$39,080), 6'8" (2.03 m) off the deck, with an electrically-actuated sunroof. Further aft is a small galley unit with an optional electric grill (\$2,620), sink, an icemaker and storage.

Beneteau Monte Carlo 52

Flybridge lounging starts forward with this L-shaped settee adjacent the helm.

Beneteau Monte Carlo 52

There's plenty of entertainment space in the flying bridge. Most of it is under the protection of the hardtop. Further aft is a galley area.

Beneteau Monte Carlo 52

An outdoor galley is aft on the flying bridge deck.

Heading Forward

There are 9" (22.86 cm) steps to both sides of the cockpit, leading to the side decks. Being a symmetrical layout, both sides have an average width of 16" (40.64 cm). Rails top out at 20" (50.80 cm) and another rail running the length of the cabin sides ensure a safe transition to the bow. At midships, there's a 10" (25.40

cm) cleat with chafing gear to the outboard side and a courtesy light inboard.

Bow Features

There are two optional sun pads (\$7,540) atop the trunk cabin flanking skylights to the VIP stateroom below. Each measures 90" (228.60 cm) x 37" (93.98 cm). Both sun pads have upper sections that can be lifted into chaise lounge position.

Fully forward, at the working end of the bow, the rails top out at 30" (76.20 cm) and a split-rail design accommodates bow in boarding. A teak step/seal is between the two rail sections. To both sides of the bow, there are 10" (25.40 cm) cleats with chafing gear just outboard.

Beneteau Monte Carlo 52

The bow features two sun pads to either side of the VIP skylight. Both can be adjusted into chaise lounge position.

The ground tackle consists of a Lewmar windlass handling 90' (27.43 m) of chain and 150' (45.72 m) of rope. An anchor roller is recessed into the toe rail and supports a Delta Plow anchor. Two hatches flank the windlass. To the starboard side is access to the rode locker, with a small rail for hanging dock lines. To port is fender storage, another rail for hanging line, as well as the remote for the windlass. To the aft section, there's a quick connect for a raw water washdown.

Beneteau Monte Carlo 52

A teak seat is between the two sections of bow rail. A windlass leads to the plow-style anchor. Two hatches lead to rode and fender storage. The windlass remote is to the port locker.

Moving to the Interior

We access the interior by opening up the double glass doors to a full 4'5" (1.35 m). Inside, there's an average headroom of 6'5" (1.96 m). The interior is consistent with plenty of open space and a stunning amount of natural light. Huge windows that measure 215 square feet (20 square meters) surround the salon. This, combined with the high headroom, enhances the roomy feel.

Beneteau Monte Carlo 52

The main deck features three distinct gathering areas. The galley is between two, keeping the host at the center of the entertainment.

Beneteau Monte Carlo 52

The interior is bright and roomy, with lots of windows and a high overhead. The galley is aft, and the salon takes up the center of the boat's length.

Galley

The galley is immediately to starboard, keeping it between the two main social zones on the main deck. It features plenty of open Corian counter space. It does include beveled edges, but we'd still like to see the corners be rounded. There's a recessed stainless-steel sink with a pull-out sprayer above. A 3-burner electric stove is just alongside, and we'd like to see a powered vent under the cabinet above. Speaking of cabinets, there's no shortage of storage both above and below. There's also a convection microwave. An optional dishwasher (\$1,870) can be added as well.

Beneteau Monte Carlo 52

The galley is to starboard, just inside the sliding glass door entry. Counters are all Corian, and storage is above and below.

Beneteau Monte Carlo 52

To the port side, there's an ice maker, a refrigerator and freezer all in drawers. There's still more Corian counter space. Storage is alongside and underneath.

Salon

The transition to the salon is via two 5" (12.70 cm) steps. This gathering area consists of L-shaped seating to the port. There are storage compartments just behind the sofa, and a corner seat is just ahead. All of this wraps around a table on two fixed pedestals. Rails to each side will support the leaves as they are opened. There are opening windows to both sides of the salon. For decking, the standard is laminated brown oak. Optional choices are synthetic or natural teak and of course, carpeting (\$2,600). Our test boat was finished in optional brushed oak Alpi wood. Standard is Walnut Oak finish.

Beneteau Monte Carlo 52

The salon features opposing seating with the large sofa to port and a smaller one to starboard.

Beneteau Monte Carlo 52

Padded grab rails support the leaves when the table is expanded.

Beneteau Monte Carlo 52

Storage is just behind the sofa. Notice the opening window just ahead.

To the opposite side is a loveseat. A 40" (101.60 cm) TV is on an electric lift just behind. All of this is surrounded in glass for outstanding visibility, certainly adding to the open feel of the room.

Beneteau Monte Carlo 52

A TV is on an electric lift just behind the loveseat.

Below Decks

In keeping with the tradition of having an open atrium style entry to the lower decks, the MC52 maintains that popular feature and even expands on it. Now, stairs lead to an elevated platform that branches off into two directions, aft leading to the master and forward leading to the VIP and guest staterooms. It's an elegant solution and a vast improvement over previous designs.

~~Beneteau Monte Carlo 52~~

The accommodations level features a three stateroom/two head layout. A captain's cabin can be optioned out for the lazarette space.

~~Beneteau Monte Carlo 52~~

The atrium now leads fore and aft from an elevated platform. Natural light is coming from the forward windshield just above.

Master

The master stateroom is just aft and as expected, it's full beam. Natural light pours in from hull side windows to both sides, and both include opening ports that add ventilation to the mix. In the center of the stateroom is the island berth measuring 76" (193.04 cm) x 68" (172.72 cm). The headboard is upholstered. The overhead has a variable geometry to accommodate the main salon above. Average ceiling height is 6'2" (1.88 m), leaving 3'2" (.97 m) over the berth.

~~Beneteau Monte Carlo 52~~

To the starboard side, there's a desk with a vanity along with storage, all under the hull side window. The door just behind leads to a walk-in closet.

~~Beneteau Monte Carlo 52~~

The vanity includes a mirror attached to a soft-close lid. We'd like to see sorters added to the interior compartment. Note the beveled edge and differing materials.

~~Beneteau Monte Carlo 52~~

To port, there's a storage cabinet under the hull side window. Just aft is the entry to the ensuite.

There's certainly no shortage of storage to be found here. To port, there's a cabinet under the hull side window. To starboard, there's additional storage, along with a vanity/desk. And, there is still more under the berth in drawers. Just behind and to starboard is a large walk-in closet, and it has hanging space and shelf space.

~~Beneteau Monte Carlo 52~~

Both the deck and the overhead have a variable geometry to conform to the hull shape and the salon above. We still measured an average ceiling height of 6'2" (1.88 m).

Beneteau Monte Carlo 52

At the forward bulkhead, there's a 32" (81.28 cm) flatscreen TV mounted over a cabinet, which houses storage and an optional combination washer/dryer (\$3,970).

Master Head

The entry to the master ensuite is to port. It's a fully-featured head with a hull side window and mirrors to both the aft bulkhead and concealing storage over the sink, which is mounted atop a Corian counter. More storage is below. The toilet is electric-flush. The shower is enclosed behind glass doors.

Beneteau Monte Carlo 52

The master ensuite is well-appointed and bathed in natural light. The vessel sink is atop a Corian counter. The toilet is electric-flush.

VIP

The VIP is located fully forward, and the stateroom is laid out in the typical fashion of an island berth accessible from steps to both sides. If the occupants aren't necessarily a couple, then the berth can be divided in two, scissor fashion. Natural light streams in from hull side windows and an overhead skylight. We're happy to see the space above the windows utilized for storage, where other builders simply let this space go untouched. The high overhead theme throughout the yacht continues here with an average height of 6'4" (1.93 m), leaving 3'6" (1.07 m) over the berth. The overhead is upholstered in Alcantara Suede.

Beneteau Monte Carlo 52

The VIP features hull side windows and an overhead skylight.

At the aft end of the stateroom, there are two hanging lockers. A 24" (60.96 cm) TV is mounted to the starboard side of the entry. To the port side is a private entrance to the ensuite.

Beneteau Monte Carlo 52

Two hanging lockers flank the entrance to the stateroom and the separate entrance to the head.

Guest Head

This head is a vast improvement over the MC52's predecessors that were fitted with a wet head. This one includes a private enclosed shower in addition to the usual cast of features, such as Corian counter, a vessel sink and an electric-flush toilet. There's also a separate entrance to the companionway, allowing this to serve double duty as a day head and servicing the guest stateroom just across.

One of the biggest changes to this model is the inclusion of a full head with a separate walk-in shower. Previous models had a wet head.

Guest Stateroom

The guest stateroom is just to starboard and features double berths, separated by 7" (17.78 cm). Average headroom goes from 6'5" (1.96 m) to 6'9" (2.06 m) as we step down between the berths. There are two hull side windows, one with an opening port, and storage is above. A hanging locker is just across the entry.

Side by side berths are the highlight of the guest stateroom.

One interesting facet as we tour the lower decks of the MC52 is that all the doors are gasketed, so there's no rattling when underway. Additionally, the hardware is the latest design that keeps the latch retracted so as to not catch on the errant sweater or piece of clothing. As the door is closed, a magnet draws the latch out and the door remains shut. All the Alpi wood has a brushed oak finish.

Operations

Ship Control

Any discussion of this yacht's operations really should start with a word about Ship Control. This is a web interface that simplifies the operation of the boat's functions, from lighting to climate control, navigation to electrical sources.

It's displayed on the Nav screens at both helms. There's also a tablet/smartphone interface, so literally everyone onboard can take part on the control of the systems.

With easily-recognizable icons on each page, the Ship Control system allows control of virtually all the vessels systems from the helm screens, a tablet or even a smartphone.

Upper Helm

The flying bridge helm is port-side mounted. The panel consists of dual 12" (30.48 cm) displays that are linked to both engines and the closed-circuit cameras placed throughout the boat. Additionally, the screens are interfaced with the vessel's electrical system. In this manner, all switching onboard can be controlled from these screens via Beneteau's proprietary Ship Control interface. Even though the engines interface with the main screens, there are still three dedicated displays in the center of the panel. A compass is

above and directly in line with the steering wheel, which is mounted to a tilt base. To the right is the bow thruster joystick, the IPS joystick and the digital engine controls.

~~Beneteau Monte Carlo 52~~

The flying bridge helm is port-side mounted and two 12" (30.48 cm) displays grace the panel.

There is a single seat at the helm for the operator. It's a bucket-style with the open lumbar area providing ventilation. The sides are raised, providing a more secure feel to the seat. A flip bolster allows an elevated vantage point.

Lower Helm

The lower helm is uncluttered and efficient thanks to the integration of the two 16" (40.64 cm) displays that eliminates the need for gauges. All electrical switches are grouped together. The Volvo Penta displays are just above the helm, which is on a tilt base. The compass seems to be added as an afterthought as it is way forward by the base of the windshield and not really visible. An opening window is just alongside. Visibility is through two 54" (137.16 cm) x 56" (142.24 cm) windshields separated by a narrow mullion. Defog vents are fitted across the bottom of the windshield's full length.

~~Beneteau Monte Carlo 52~~

The lower helm has dual 16" (40.64 cm) displays with full integration to the vessels systems.

~~Beneteau Monte Carlo 52~~

Having vessel integration in the helm displays makes for a much cleaner panel as all gauges are eliminated.

To the right of the helm are the digital engine controls, the IPS joystick, and the remote control for the forward displays. This remote is usually found right alongside the displays with other builders. Here, it is correctly placed so that it can be used from the seated position. Right alongside is an opening window.

~~Beneteau Monte Carlo 52~~

A much-appreciated feature is the control for the forward screens being accessible from the seated position.

~~Beneteau Monte Carlo 52~~

The helm seat is **41" (104.14 cm) with a single bolster.**

~~Beneteau Monte Carlo 52~~

To the left of the helm is a cubby with connectivity and two beverage holders.

~~Beneteau Monte Carlo 52~~

Just alongside the helm is a panel housing the remote battery switches and the Scheiber touchscreen that controls all of the vessel's electrical components. Largely redundant as everything is also controlled by the Ship Controller touchscreens at the helm. The lower panel is the climate control.

Cockpit Controls

Another operating station is at the aft deck and to starboard. This location provides a full view of both the stern and starboard side of the 52. It includes the engine start/stops, the bow thruster control and the IPS joystick.

Additional controls are here for the hydraulic swim platform, the extendable cockpit awning and stern lighting switches.

Beneteau Monte Carlo 52

The cockpit control station was specifically installed to ease docking with its improved visibility.

Engine Compartment

The engine room is accessed from a hatch in the aft deck that is held open by gas support struts. Inside, roominess is the key word. The focal point is the twin 480-hp IPS 650 engines (\$10,100), an upgrade from the standard 435-hp IPS 600s. To the port hand side is the black water tank. Just above that is the isolation transformer turning 240 Volts into 110-V. Forward are the two fuel tanks. In between the two is the 11.5 kW generator. On the starboard side, the two units that occupy the air chiller system are easily accessed. Just below is the battery system. An optional SeaKeeper gyro stabilizer (\$94,270) can also be added.

Beneteau Monte Carlo 52

Twin 430-hp IPS 650 engines drive the MC52.

Beneteau Monte Carlo 52

To the port side is the blackwater tank with the isolation transformers just above.

Most notable is how everything is so easily accessed, such as all of the pumps, all of the filters... and even the checkpoints are right in the middle of the two engines. It's also worth mentioning how clean the wire runs are and how everything is appropriately double-clamped.

Performance

With the pair of 480-hp IPS 650s run up to 3600 RPM, we reached our top speed of 26 knots. Now this was in 1-2 foot seas holding us back, so not ideal conditions for a test. In fact, when Beneteau tested this same

boat on the flat, they reached 28.7 knots and achieved 3830 RPM. That said, when we throttled back to 2800 RPM, we measured a best economic cruise of 16.4 knots. It was at that speed that the 24.4 GPH fuel burn translated into .7 NMPG and a range of 209 NM. All, of course, while still holding back a 10-percent reserve of the boat's 344-gallon (1,300 L) total fuel capacity.

Handling

She accelerates at a nearly level attitude and reaches planing speed in an average 6.7 seconds. Keeping the throttle pinned will see her passing 20 mph in 16.5 seconds. She has a natural 5-degree bow high attitude, and her 15-degree V-hull and narrow entry seems to cut through the chop quite well with absolutely no pounding or hull slap. A generous flare to the bow keeps spray low and wide for a dry ride.

Docking

As we came back to the marina, I went back on the joystick for maneuvering down the fairway. In front of the dock, I went down to the cockpit station, rotated stern to and headed in. It's here where I really put the joystick through its paces and to no one's surprise, it was dialed in perfectly, allowing exacting precision, even with a crosswind and cross current. It's just an easy and forgiving boat to operate in close quarters.

Beneteau Monte Carlo 52

Close-quarters handling is a non-event on the MC52. Here, Capt. Steve is backing into a tight slip with the stern operating station providing an excellent sightline of the whole starboard side.

Options and Pricing

The Monte Carlo 52 has a base price of \$1,075,700. A trim level package that includes a flybridge searchlight, underwater lights, Zipwake automatic trim tabs, an aft camera, Garmin Fantom Radar, AIS and a flybridge refrigerator will add \$18,740.

Observations

This latest generation of the Monte Carlo series is a harbinger of things to come. She's a completely new design and an exciting one. With so many improvements over her predecessors, it's easy to see that this will be the start of big things for Beneteau.