Fairline Targa 48 GT Price

Base Price

Specifications

Length Overall	49'2"
BEAM	14'2"
Dry Weight	14.88 Tons
Tested Weight	
Draft	3'10"
Draft Up	
Draft Down	
Air Draft	
Deadrise/Transom	
Max Headroom	
Bridge Clearance	
Weight Capacity	
Person Capacity	
Fuel Capacity	288 Gallons

Water Capacity	106 Gallons
Length on Trailer	
Height on Trailer	
Trailer Weight	
Total Weight	
Aft Deck	
Salon Inside Width	
Salon Fore & Aft	
Salon Height	
Salon Volume	
Galley Volume	
Master SR Width	
Master SR fore & Aft	
Master SR Overhead	
Master SR Volume	
Eng. Room Volume	

Acceleration Times & Conditions

Time to Plane	
0 to 20	
Ratio	
Props	
Load	
Climate	


Builders Commentary

The Targa 48 GT is as fast or as restful as you need it to be. Relaxed, elegant cruising? No problem. And with a well-appointed helm station boasting twin pilot seats, you can share the thrill of driving the open seas in comfort. From spur of the moment trips to more considered adventures, the Targa 48 GT is everything you need. And much more.


Inviting, adaptable and spacious, the Targa 48 GT is effortless for all. Close your eyes to the sun and rest easy on the main deck. Share a long and lazy lunch al fresco with friends, then cruise to the next idyllic location. On the lower deck, you'll find that carefully considered, luxurious touches encourage a blissful night's rest in preparation for whatever tomorrow brings.


So we made the main deck the hot spot for entertaining, day or night. Host cocktails, or sit a while with a view of the setting sun and experience pure uninterrupted pleasure. And when you do find the perfect spot to anchor in the shelter of calm waters, enjoy diving from the submersible bathing platform into the warmth of the azure blue sea.


Layout





Interior




























Standard Features

Deck

- Anchor chain locker
- Anchor winch controls
- Anchor winch (electric)
- · Calibrated anchor chain
- Ensign & staff Fender set
- Full set of IMCO navigation lights
- Hot & cold water transom shower
- Moulded non-slip deck surface
- Recessed self-draining area on foredeck for coach-roof cushions
- Riding light
- Rubbing strake
- Self-stowing Delta® anchor
- Stainless steel bow fairlead
- Stainless steel bow, spring & stern cleats
- Stainless steel handrails
- Stainless steel pulpit
- · Stainless steel stemhead roller
- Stainless steel transom wing cleats
- Swim ladder to bathing platform
- Teak-laid bathing platform (with option of submersible platform)
- Toughened glass curved windscreen
- Transom gate from cockpit to integral bathing platform
- Twin horns
- Water filler
- Windscreen washers

• Windscreen wipers

Helm Position

- 12V socket Bilge pump switches with integral operating warning lights & audible alarms
- Twin helm seat
- · Controls for engine bay fire extinguisher system
- Drinks holders
- Electronic single-lever throttle & gear controls for port & starboard engines
- Fuel gauges
- Full engine instrumentation including; tachometers, temperature gauges, audible alarms & engine hour meters
- Garmin GMi 20 digital multi-function instrument system with colour display
- Garmin VHF marine radio
- Helm position indicator
- High-speed magnetic compass
- IPS joystick
- · Remote anchor winch controls
- Searchlight with remote control at helm Waterproof switches for navigation & riding lights, windscreen wipers & engine bay extractor fans

Electrical Systems

- All 240V, 24V & 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel
- Electrical sockets
- Heavy duty circuit breakers
- Isolating switches to all batteries
- 12 Volt Batteries 2 x heavy duty batteries for domestic services 1 x heavy duty battery for exclusive port engine starting 1 x heavy duty battery for exclusive starboard engine starting
- Emergency battery coupling system permits starboard engine to start port engine if domestic batteries accidently discharged 240
- Volt Polarity check & earth leakage protection system

- Power points throughout the boat fed from shore power or generator
- Regulated battery charger
- Shore power supply

Cockpit

- 12V heavy duty weatherproof socket
- Bathing platform lights
- Boat hook
- Central dining area with table
- Drinks holders
- Engine bay access hatch
- Fender stowage
- · Gas locker
- Lazarette under cockpit seat Life raft stowage
- Manual bilge pumps
- Mooring warps
- Step for side deck access
- Teak laid cockpit Warp lockers